

Shimizu T.: Macrophage migration inhibitory factor overexpression accelerates photocarcinogenesis in the skin. pp.143-156, "Skin Cancers- Risk Factors, Prevention and Therapy", edited by Caterina AM La Porta. InTech Publisher, Rijeka, 2011.

---

Yoshihisa Y, Hassan MA, Kondo T, Shimizu T.: Effects of platinum nanoparticles on heat- and UV-induced apoptosis.

Recent Patents Nanomed., 1:162-165, 2011.

---

Ishida W, Makino T, Shimizu T.: Severe hair loss of the scalp due to a hair dye containing para phenylenediamine.

ISRN Dermatology., 2011: 947284, 2011.

---

Ueda C, Makino T, Asano Y, Watanabe H, Hanakawa H, Shimizu T.: An ultrastructural examination of a blistering lesion of mycosis fungoides bullosa.

Br J Dermatol., 165: 213-214, 2011.

---

Yoshihisa Y, Zhao QL, Hassan MA, Wei ZL, Furuichi M, Miyamoto Y, Kondo T, Shimizu T.: A SOD/catalase mimetic platinum nanoparticle inhibits heat-induced apoptosis in human lymphoma U937 and HH cells.

Free Radical Res., 45:326-335, 2011.

---

Enomoto A, Yoshihisa Y, Yamakoshi T, Rehman MR, Norisugi O, Hara H, Matsunaga K, Makino T, Nishihira J, Shimizu T.: UVB radiation induces macrophage migration inhibitory factor-mediated melanogenesis through activation of PAR-2 and SCF in keratinocytes.

Am J Pathol., 178:679-687, 2011.

---

Norisugi O, Makino T, Hara H, Matsui K, Furuichi M, Shimizu T.: Evaluation of the skin atrophy associated with linear atrophoderma of Moulin by ultrasound imaging.

J Am Acad Dermatol., 65:232-233, 2011.

---

Yoshihisa Y, Makino T, Honda A, Matsunaga K, Abe R, Norisugi O, Shimizu H, Shimizu T.: Macrophage migration inhibitory factor is essential for eosinophil recruitment in allergen-induced skin inflammation.

J Invest Dermatol., 131:925-931, 2011.

---

Asano Y, Makino T, Ishida W, Furuichi M, Shimizu T.: Detection of antibodies to epidermal transglutaminase but not tissue transglutaminase in Japanese patients with dermatitis herpetiformis.

Br J Dermatol., 164:883-884, 2011.

---

Asano Y, Makino T, Shimizu T.: Fibrous mass in the chin due to a unique cause.

Arch Dermatol., 147: 868-869, 2011.

---

Du G, Kataoka K, Sakaguchi M, Abarzua F, Than SS, Makino T, Shimizu T.: Huh NH. Expression of REIC/Dkk-3 in normal and hyperproliferative epidermis.

Exp Dermatol., 20:273-277, 2011.

---

Takegami Y, Yokoyama Y, Norisugi O, Nagatsuma M, Takata K, Rehman MU, Matsunaga K, Yokoi H, Fujiki H, Makino T, Shimizu T. Synthesis and characterization of high-quality skin-cooling sheets containing thermosensitive poly(N-isopropylacrylamid).

J Biomed Mater Res B Apple Biomater., 98: 110-113, 2011.

---

Yoshihisa Y, Furuichi M, Rehman MR, Makino T, Shimizu T.: The traditional Japanese formula keishibukuryogan inhibits the production of inflammatory cytokines by dermal endothelial cells.

**Mediators Inflamm.**, 2010:804298, 2010.

---

Furuichi M, Hara H, Asano Y, Makino T, Shimizu T.: Fixed drug eruption caused by the Japanese herbal drug kakkonto.

**Dermatol Online J.**, 16:13, 2010.

---

Hara H, Makino T, Norisugi O, Asano Y, Furuichi M, Shimizu T.: Detection of human papillomavirus types 33 and 56 in extragenital Bowen's disease involving the sole.

**Eur J Dermatol.**, 20:663-664, 2010.

---

Makino T, Horikawa S, Hongo K, Ichida F, Furuichi M, Ueda C, Miyawaki T, Shimizu T.: Livedo racemosa presenting with congenital fibromuscular dysplasia.

**Br J Dermatol.**, 163:1362-1364, 2010.

---

Furuichi M, Makino T, Matsunaga K, Hamade E, Yokoi H, Shimizu T.: The usefulness of sebum check film for measuring the secretion of sebum.

**Arch Dermatol Res.**, 302: 657-660, 2010.

---

Shimizu T.: The role of macrophage migration inhibitory factor (MIF) in ultraviolet radiation-induced carcinogenesis.

**Cancers (Basel).** 2: 1555-1564, 2010.

---

Fujita Y, Abe R, Inokuma D, Sasaki M, Hoshina D, Natsuga K, Nishie W, McMillan JR, Nakamura H, Shimizu T, Akiyama M, Sawamura D, Shimizu H.: Bone marrow transplantation restores epidermal basement membrane protein expression and rescues epidermolysis bullosa model mice.

**Proc Natl Acad Sci U S A.**, 107:14345-14350, 2010.

---

Shimizu T.: Current understanding of the mechanisms underlying UV-induced skin cancer: role of inflammatory cytokines. **'Research Advances in Carcinogenesis'**

Transworld Research Network, Inc, Kerala, India 9-18, 2010.

---

Yoshihisa Y, Honda A, Zhao QL, Makino T, Abe R, Matsui K, Shimizu H, Miyamoto Y, Kondo T, Shimizu T.: Protective effects of platinum nanoparticles against UV-light-induced epidermal inflammation.

**Exp Dermatol.**, 19:1000-1006, 2010.

---

Furuichi M, Makino T, Hara H, Matsui K, Shimizu T.: Multiple autoimmune syndrome in a Japanese patient with pemphigus foliaceus.

**Eur J Dermatol.**, 20:396-397, 2010.

---

Yanagi T, Shimizu H, Shimizu T.: Occupational contact dermatitis caused by asparagus.

**Contact Dermatitis.**, 63:54, 2010.

---

Abe R, Yamagishi S, Fujita Y, Sasaki M, Matsui T, Nakamura K, Imaizumi T, Shimizu T, Bucala R, Shimizu H.: Topical application of anti-angiogenic peptides based on pigment epithelium-derived factor can improve psoriasis.

**J Dermatol Sci.**, 57: 183-191, 2010.

---

Honda A, Abe R, Yoshihisa Y, Makino T, Matsunaga K, Nishihira J, Shimizu H, Shimizu T.: Deficient deletion of apoptotic cells by macrophage migration inhibitory factor (MIF) overexpression accelerates photocarcinogenesis.

**Carcinogenesis.**, 30:1597-1605, 2009.

---

Matsui K, Makino T, Nakano H, Furuichi M, Sawamura D, Shimizu T.: Squamous cell carcinoma arising from Darier's disease.

**Clin Exp Dermatol.**, 34:1015-1016, 2009.

---

Shimizu T.: Ultraviolet-Induced Damage in the Skin and Cornea: Implication for Inflammatory Cytokine, Macrophage Migration Inhibitory Factor. *"Environmental Regulation: Evaluation, Compliance and Economic Impact"*, by Diederik Meijer and Phillipus De Jong (Ed.), pp.87-95, Text book of NY Nova Science Publishers, Inc, New York.2009.

---

Asano Y, Makino T, Norisugi O, Shimizu T. : Occupational cobalt induced systemic contact dermatitis.

**Eur J Dermatol.**, 19:166-167, 2009.

---

Ahmed K, Matsuya Y, Nemoto H, Zaidi SFH, Sugiyama T, Yoshihisa Y, Shimizu T, Kondo T.: Mechanism of apoptosis induced by a newly synthesized derivative of macrophelides with a thiazole side chain.

**Chem-Biol Interact.**, 177:218-226, 2009.

---

Kanegane H, Nomura K, Abe A, Makino T, Ishizawa S, Shimizu T, Naoe T, Miyawaki T.: Spontaneous regression of aleukemic leukemia cutis harboring a NPM/RARA fusion gene in an infant with cutaneous mastocytosis.

**Int J Hematol.**, 89:86-90, 2009.

---

Asano Y, Makino T, Furuichi M, Norisugi O, Shimizu T.: Effective treatment of angiosarcoma on the nose by combination treatment with electron beam irradiation, recombinant interleukin-2 and docetaxel.

**Clin Exp Dermatol.**, 34:e227-228, 2009.

---

Yamakoshi T, Makino T, Watanabe H, Furuichi M, Matsui K, Shimizu T.: A case of giant vascular eccrine spiradenoma with unusual clinical features.

**Clin Exp Dermatol.**, 34:e250-251, 2009.

---

Yanagi T, Shimizu T, Kodama K, Nemoto-Hasebe I, Kasai M, Shimizu H.: CD30 positive primary cutaneous anaplastic large cell lymphoma and definite squamous cell carcinoma.

**Clin Exp Dermatol.**, 34:e293-294, 2009.

---

Kanda M, Natsuga K, Nishie W, Akiyama M, Nagasaki A, Shimizu T, Shimizu H.: Morphological and genetic analysis of steatocystoma multiplex in an Asian family with pachyonychia congenita type 2 harboring a KRT17 missense mutation.

**Br J Dermatol.**, 160: 465-468, 2009.

---

Matsui K, Makino T, Watanabe H, Furuichi M, Hara H, Shimizu T.: Giant cystic basal cell carcinoma mimicking epidermal cyst.

**J Dermatol.**, 36:522-524, 2009.

---

Ito Y, Makino T, Adachi Y, Higashiyama H, Shimizu T, Miyawaki T.: Expansion of FOXP3-positive CD4+CD25+ cells associated with disease activity in atopic dermatitis.

**Ann Allergy Asthma Immunol.**, 103:160-165, 2009.

---

Hamasaka A, Abe R, Koyama Y, Yoshioka N, Fujita Y, Hoshina D, Sasaki M, Hirasawa T, Onodera S, Ohshima S, Leng L, Bucala R, Nishihira J, Shimizu T, Shimizu H.: DNA-vaccination against macrophage migration inhibitory factor improves atopic dermatitis in murine models.

**J Allergy Clin Immunol.**, 124: 90-99, 2009.

---

Yamaguchi M, Tahara Y, Makino T, Shimizu T, Date A.: Comparison of cathepsin L activity in cheek and forearm stratum corneum in young female adults.

**Skin Res Technol.**, 15: 370-375, 2009.

---

Moriuchi R, Arita K, Ujiiie H, Kodama K, Shimizu T, Shimizu H.: Large Subcutaneous Abscesses Caused by *Mycobacterium fortuitum* Infection.

**Acta Derm Venereol.**, 88(3)313-314, 2008.

---

Kitaichi N, Shimizu T, Yoshida K, Honda A, Yoshihisa Y, Kase S, Ohgami K, Norisugi O, Makino T, Nishihira J, Yamagishi S, Ohno S.: Macrophage migration inhibitory factor ameliorates UV-induced photokeratitis in mice.

**Exp Eye Res.**, 86:929-936, 2008.

---

Zhao Y, Makino T, Honda A, Shimizu H, Yamagishi S, Shimizu T.: Carebasutine, an H1-receptor antagonist, suppresses the expression of macrophage migration inhibitory factor.

**Clin Exp Dermatol.**, 33:785-787, 2008.

---

Watanabe H, Ishida Y, Nagashima K, Makino T, Norisugi O, Shimizu T.: Desmoplastic fibroblastoma (collagenous fibroma).

**J Dermatol.**, 35:93-97, 2008.

---

Honda A, Abe R, Makino T, Norisugi O, Fujita Y, Watanabe H, Nishihira J, Yamagishi S, Iwakura Y, Shimizu H, Shimizu T.: Interleukin-1b and macrophage migration inhibitory factor (MIF) in dermal fibroblasts mediate UVA induced matrix metalloproteinase-1 expression.

**J Dermatol Sci.**, 49:63-72, 2008.

---

Asano Y, Makino T, Norisugi O, Watanabe H, Abe R, Shimizu H, Shimizu T.: Macrophage migration inhibitory factor (MIF) in bullous pemphigoid.

**J Dermatol Sci.**, 49:95-97, 2008.

---

Kanegane H, Itazawa T, Saito M, Nishikomori R, Makino T, Shimizu T, Adachi Y, Miyawaki T.: A CIAS1 mutation in a Japanese girl with familial cold autoinflammatory syndrome.

**Eur J Pediatr.**, 167:245-247, 2008.

---

Makino T, Nagasaki A, Furuichi M, Matsui K, Watanabe H, Sawamura D, Shimizu H, Shimizu T.: Novel mutation in a fumalate hydratase gene of a Japanese patient with multiple cutaneous and uterine leiomyomatosis.

**J Dermatol Sci.**, 48:151-153, 2007.

---

Nemoto I, Shimizu T, Fujita Y, Tateishi Y, Tsuji-Abe Y, Shimizu H.: Tumor-like muscular sarcoidosis.

**Clin Exp Dermatol.**, 32:298-300, 2007.

---

Makino T, Furuichi M, Watanabe H, Yoshihisa Y, Shimizu T.: Keishibukuryogan (Gui-Zhi-Fu-Ling-Wan), a Kampo formula decreases the disease activity and the level of serum thymus and activation-regulated chemokine (TARC) in patients with atopic dermatitis.

**J Trad Med.**, 24:173-175, 2007.

---

Yamagishi S, Nakamura K, Matsui T, Inoue H, Makino T, Shimizu T, Takeuchi M.: Role of advanced glycation end products (AGEs) in cell growth and death. pp 119-137

“Focus on Apoptosis Research” Daniel W. Cho Edt., Text book of NY Nova Science Publishers, Inc, 2007.

---

Yanagi T, Kodama K, Yoshihisa Y, Shimizu H, Shimizu T. : Macrophage migration inhibitory factor in zinc-allergic systemic contact dermatitis.

**Cytokine.**, 35:270-274, 2006.

---

Kitaichi N., Ariga T., Ohno S., and Shimizu T.: Acute unilateral conjunctivitis after rubella vaccination; the detection of the rubella genome in the inflamed conjunctiva by reverse transcriptase-polymerase-chain reaction. **Br. J. Ophthalmol.**, 90: 1436-1437, 2006.

---

Kikuchi E., Kinoshita I., Yamazaki K., Itho T., Shimizu T., Shimizu H., and Nishimura M.: Epithelioid sarcoma presenting as pulmonary cysts with cancer antigen 125 expression. **Respirology.**, 11: 826-829, 2006.

---

Inokuma D, Abe R, Fujita Y, Sasaki Y, Shibaki A, Nakamura H, McMillan JR, Shimizu T, Shimizu H. : CTACK/CCL27 accelerates skin regeneration via accumulation of bone marrow derived-keratinocytes. **Stem Cells.**, 24:2810-2816, 2006.

---

Yamagishi S, Kikuchi S, Nakamura K, Matsui T, Makino T, Norisugi O, Shimizu T, Inoue H, Imaizumi T.: Pigment epithelium-derived factor (PEDF) blocks angiotensin II-induced T cell adhesion to endothelial cells by suppressing intercellular adhesion molecule-1. **Horm Metab Res.**, 38 :546-548, 2006.

---

Maeda Y, Hizawa N, Jinushi E, Honda A, Takahashi D, Fukui Y, Konno S, Shimizu T, Shimizu H, Yamaguchi E, Nishimura M.: Polymorphisms in the Muscarinic Receptor 1 Gene Confer Susceptibility to Asthma in Japanese Subjects. **Am J Respir Crit Care Med.**, 174:1119-1124, 2006.

---

Fujita Y, Abe R, Sasaki R, Honda A, Furuichi M, Asano Y, Norisugi O, Shimizu T, Shimizu H.: Presence of circulating CCR10+ T-cells and elevated serum CTACK/CCL27 in the early stage of mycosis fungoides. **Clin Cancer Res.**, 12:2670-2675, 2006.

---

Ujiie H, Shimizu T, Itoh M, Arita K, Shimizu H.: Lupus erythematosus profundus successfully treated with dapsone; review of the literature. **Arch Dermatol.**, 142:399-401, 2006.

---

Murata J, Shimizu T, Tateishi Y, Abe R, Shimizu H.: Coexistence of systemic lupus erythematosus and porphyria cutanea tarda: a case successfully improved by avoidance of sun exposure-  
**Int J Dermatol.**, 45:435-437,2006.

---

Yanagi T, Shimizu T, Ujiie H, Tsuji-Abe Y, Abe R, Hige S, Shimizu H.: Peginterferon Alfa-2b for Mycosis Fungoides.  
**Arch Dermatol.**, 142:649-651, 2006.

---

Kitaichi N, Shimizu T, Honda A, Abe R, Ohgami K, Shiratori K, Shimizu H, Ohno S.: Conspicuous increase of MIF in lacrimal fluid of patients with severe atopic dermatitis.  
**Graefes Arch Clin Exp Ophthalmol.**, 244:825-828,2006.

---

Yamagishi S, Matsui T, Nakamura K, Yoshida T, Shimizu K, Takegami Y, Shimizu T, Inoue H, Imaizumi T.: Pigment epithelium-derived factor (PEDF) inhibits angiotensin II-induced vascular endothelial growth factor (VEGF) expression in MOLT-3 T cells through anti-oxidative properties.  
**Microvasc Res.**, 71:222-226, 2006.

---

Natsuga K, Shimizu T, Abe R, Kodama K, Shimizu H.: Mycosis fungoides bullosa.  
**Arch Dermatol.**, 142:793-795, 2006.

---

Ujiie H, Shimizu T, Natsuga K, Arita K, Tomizawa K, Shimizu H.: Severe cholinergic urticaria successfully treated with scopolamine butylbromide in addition to antihistamines.  
**Clin Exp Dermatol.**, 531:588-602, 2006.

---

Nakamura K, Yamagishi S, Matsui T, Yoshida T, Imaizumi T, Makino T, Shimizu T, Inoue H.: Acarbose, an a-glucosidase inhibitor, decreases aortic gene expression as well as serum levels of monocyte chemoattractant



protein-1 (MCP-1) in fructose-fed rats.

**J Int Med Res.**, 34:525-530, 2006

---

Sodemoto K., Kinbara T., Kitagawa T., Furuichi M., Hatta N.: Multiple pustulogranulomatous plaques in the elderly.

**Clin. Exp. Dermatol.**, 31: 489-490, 2006.

---

Shimizu T.: Role of macrophage migration inhibitory factor (MIF) in the skin (Review).

**J. Dermatol. Sci.**, 37: 65-73, 2005.

---

Zhao Y., Shimizu T., Nishihira J., Koyama Y., Kushibiki T., Honda A., Watanabe H, Abe R., Tabata Y., Shimizu H.: Tissue regeneration by incorporation of macrophage migration inhibitory factor (MIF)-impregnated gelatin beads into cutaneous wounds.

**Am. J. Pathol.**, 167: 1519-1529, 2005.

---

Yanagi T., Shimizu T., Abe R., Shimizu H.: Zinc dental fillings and palmoplantar pustulosis.

**Lancet.**, 366: 1050, 2005.

---

Takaishi M., Makino T., Morohashi M., Huh NH.: Identification of human hornerin and its expression in regenerating and psoriatic skin.

**J. Biol. Chem.**, 280:4696-703, 2005.

---

Shimizu T., Hizawa N., Honda A., Zhao Y., Abe R., Watanabe H., Nishihira J., Nishimura N., Shimizu H. : Promoter region of macrophage migration inhibitory factor (MIF) gene polymorphism in patients with extensive alopecia areata.

**Genes. Immun.**,6: 285-289, 2005.

---

Shimizu T., Ogata A., Honda A., Nishihira J., Watanabe H., Abe R., Zhao Y., Shimizu H. : Expression of macrophage migration inhibitory factor (MIF) in the skin during rat embryonic development.

**Exp. Dermatol.**, 14: 819-823, 2005.

---

Natsuga K., Akiyama M., Shimizu T., Suzuki T., Ito S., Tomita Y., Shimizu H.: Ultrastructural observations in a pigmented nevus in Hermansky-Pudlak syndrome: abnormal melanosome formation in nevus cells is of significant diagnostic value.

**J. Invest. Dermatol.**, 125: 154-15, 2005.

---

Toyoda M., Nakamura M., Nakada K., Nakagawa H., Morohashi M.: Characteristic alterations of cutaneous neurogenic factors in photoaged skin.

**Br. J. Dermatol.**, 153: Suppl 2:13-22, 2005.

---

Kizawa K., Toyoda M., Ito M., Morohashi M.: Aberrantly differentiated cells in benign pilomatrixoma reflect the normal hair follicle: immunohistochemical analysis of Ca-binding S100A2, S100A3 and S100A6 proteins.

**Br. J. Dermatol.**, 152: 314-20, 2005.

---

Toyoda M., Nakamura M., Nakada K., Iida M., Nakamura M., Otani M., Etoh T., Nakagawa H., Morohashi M.: Effect of Epinastine hydrochloride, ansecond-generation histamine H1-receptor antagonist, on sensory neurons in vitro.

**Allergol. Int.**, 54: 565-572, 2005.

---

Irifune H., Nishimori H., Watanabe G., Yoshida K., Ikeda T., Matsui C., Morohashi M., Kawauchi S., Nagoya S., Wada T., Yamashita T., Nakamura Y., Tokino T.: Aberrant Laminin  $\beta$ 3 isoforms downstream of EWS-ETS fusion genes in ewing family tumors.

**Cancer. Biol., Therapy.**, 4: 449-453, 2005.

---

Higaki S., Norisugi O., and Toyomoto T. : Representative species, skin diseases and Kampo medicines.  
**J. Trad. Med.**, 22 (Suppl. 1): 167-170, 2005.

---

Ujiie H., Shimizu T., Shimizu H.: Cutaneous reactions to imatinib mesylate treated by topical steroid.  
**Am. J. Hematol.**, 78: 246, 2005.

---

Nakamura H., Shimizu T., Kodama K., Shimizu H.: Cutaneous digital metastasis in two patients with lung cancer.  
**Int. J. Dermatol.**, 44: 47-49, 2005.

---

Hoshina D., Shimizu T., Abe R., Murata J., Tanaka K., Shimizu H.: Multicentric reticulohistiocytosis associated with rheumatoid arthritis.  
**Rheumatol. Int.**, 25: 553-554, 2005.

---

Higaki S., Kitagawa T., Morohashi M., Yamagishi T. : Susceptibility of Staphylococcus spp. to anti-infective agents during the past 7 years.  
**Int. J. Antimicrob Ag.**, 24 (15) : 524-525, 2004.

---

Higaki S., Nakamura M., Morohashi M., Yamagishi T. : Propionibacterium acnes biotypes and susceptibility to minocycline and Keigai-rengyo- to.  
**Int. J. Dermatol.**, 43 : 103-107, 2004.

---

Higaki S., Takashima H., Makino T., Morohashi M., Yamagishi T. : Piperacillin and gentamicin suppress Pseudomonas aeruginosa pyoderma acuta complicated with diabetes mellitus.  
**Int. J. Antimicrob Ag.**, 24(5): 519-520, 2004.

---

Nakamura M., Kato A., Tanaka D., Gyobu Y., Higaki S., Yamagishi T. : PCR identification of the plasmid-borne enterotoxin gene (cpe) in *Clostridium perfringens* strains isolated from food poisoning outbreaks.  
**Int. J. Med. Microbiol.**, 294: 261-265 , 2004.

---

Nakada K., Toyoda M., Nakamura M. Morohashi M.: Ultrastructural characterization of the distribution of melanin and epidermal macrophages in photodamaged Skin.  
**Med. Electron Microsc.**, 37: 177-187, 2004.

---

Shirai Y., Funada H., Takizawa H., Seki T., Morohashi M., Kamimura K.: Landing preference of *Aedes albopictus* (diptera: culicidae) on human skin among ABO blood groups, secretors or nonsecretors, and ABH antigens.  
**J. Med. Entomol.**, 41(4): 796-799, 2004.

---

Shimizu T, Nishihira J, Watanabe H, Abe R, Honda A, Ishibashi T, Shimizu H.: Macrophage migration inhibitory factor (MIF) is induced by thrombin and factor Xa in endothelial cells.  
**J Biol Chem.**, 279: 13729-13737, 2004.

---

Shimizu T, Nishihira J, Watanabe H, Abe R, Ishibashi T, Shimizu H.: Cetirizine, an H1-receptor antagonist, suppresses the expression of macrophage migration inhibitory factor (MIF): Its potential anti-inflammatory action.  
**Clin Exp Allergy.**, 34:103-109, 2004.

---

Watanabe H, Shimizu T, Nishihira J, Abe R, Nakayama T, Taniguchi M, Sabe H, Ishibashi T, Shimizu H.: Ultraviolet A-induced production of matrix metalloproteinase-1 is mediated by macrophage migration inhibitory factor (MIF) in human dermal fibroblasts.  
**J Biol Chem.**, 279: 1676-1683, 2004.

---

Abe R, Shimizu T, Yamagishi S, Shibaki A, Amano S, Inagaki Y, Watanabe H, Sugawara H, Nakamura H, Takeuchi M, Imaizumi T, Shimizu H.: Overexpression of pigment epithelium-derived factor decreases angiogenesis and inhibits the growth of human malignant melanoma cells in vivo.  
**Am J Pathol.**, 164:1225-1232, 2004.

---

Abe R, Shimizu T, Watanabe H, Nakamura H, Chowei H, Sasaki N, Takeuchi M, Shimizu H.: Regulation of melanoma cell growth by AGE/AGE receptor interaction.  
**J Invest Dermatol.**, 122:461-467, 2004.

---

Ogata A, Shimizu T, Abe R, Shimizu H, Sakai M.: Expression of c-maf and mafB genes in the skin during rat embryonic development.  
**Acta Histochem.**, 106: 65-67, 2004.

---

Ujiie H, Shimizu T, Shimizu H.: Generalized pustular psoriasis and hepatitis C virus infection.  
**Acta Virol.**, 48:63-64, 2004.

---

Yamagishi S, Inagaki Y, Amano S, Okamoto T, Abe R, Shimizu T, Yoshimura A.: Pigment epithelium-derived factor Inhibits tumor necrosis factor-induced interleukin-6 expression in endothelial cells by suppressing NADPH oxidase- mediated reactive oxygen species generation.  
**J Mol Cell Cardiol.**, 37: 497-506, 2004.

---

Shimizu T, Niizeki H, Takeuchi O, Yamasaki Y, Inamoto N, Nishikawa T, Abe R, Shimizu H, Hashiguchi K, Nishihira J.: Induction of migration inhibitory factor (MIF) precedes at the onset of acute tonsillitis.  
**Mediators Inflamm.**, 13, 293-295, 2004.

---

Yamagishi S, Abe R, Inagaki Y, Nakamura K, Okamoto T, Sugawara H, Inokuma D, Nakamura H, Shimizu T, Takeuchi M, Yoshimura A, Bucala R, Shimizu H, Imaizumi T.: Minodronate, a newly developed nitrogen-containing bisphosphonate, suppresses melanoma growth and improves survival in nude mice by

blocking VEGF signaling.

**Am J Pathol.**, 165: 1865-1874, 2004

---

Niizeki H, Matsunaga T, Iwata T, Shimizu T, Kurimoto I, Naruse T, Inoko H, Streilein JW.: The MICA5.1 allele is not associated with susceptibility to effects of ultraviolet B radiation on induction of contact hypersensitivity.

**J Dermatol Sci.**, 35:221-223, 2004.

---

Ota M, Shimizu T, Hashino S, Shimizu H.: Eosinophilic folliculitis in a patient after allogenic bone marrow transplantation: case report and review of the literature.

**Am J Hematol.**, 76: 295-296, 2004.

---

Hayashi H, Shimizu T, Nakamura H, Shimizu H.: Linear verrucous hemangioma on the abdomen.

**Acta Dermato Venereol.**, 84: 79-80, 2004.

---

Fujita Y, Shimizu T, Shimizu H.: A case of interstitial granulomatous drug reaction due to sennoside.

**Br J Dermatol.**, 150: 1035-1037, 2004.